

Safety data sheet

Page: 1/11

BASF Safety data sheet

Date / Revised: 31.08.2017

Product: **PHANTOM® INSECTICIDE**

Version: 6.0

(30278687/SDS_CPA_AU/EN)

Date of print 01.09.2017

1. Substance/preparation and manufacturer/supplier identification

PHANTOM® INSECTICIDE

Use: crop protection product, insecticide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat. 4 (oral)

Acute toxicity: Cat. 3 (Inhalation - mist)

Skin corrosion/irritation: Cat. 3

Hazardous to the aquatic environment - acute: Cat. 1

Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:



BASF Safety data sheet
Date / Revised: 31.08.2017
Product: **PHANTOM® INSECTICIDE**

Version: 6.0

(30278687/SDS_CPA_AU/EN)

Date of print 01.09.2017

Signal Word:
Danger

Hazard Statement:

Harmful if swallowed. Causes mild skin irritation. Toxic if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.

Precautionary Statements (Prevention):

Use only outdoors or in a well-ventilated area. Avoid breathing mist. Do not eat, drink or smoke when using this product. Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

Call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Collect spillage. If skin irritation occurs: Get medical advice/attention.

Precautionary Statements (Storage):

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Precautionary Statements (Disposal):

Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

May produce an allergic reaction. Contains: 1,2-BENZISOTHIAZOL-3(2H)-ONE

3. Composition/information on ingredients

Chemical nature

insecticide, suspension concentrate (SC)

Hazardous ingredients

chlorfenapyr

Content (W/W): 21.4 %
CAS Number: 122453-73-0

Acute Tox.: Cat. 3 (Inhalation - dust)
Acute Tox.: Cat. 4 (oral)
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

Call a poison control center or physician for treatment advice.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

Call a poison control center or physician for treatment advice.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting unless told to by a poison control center or doctor. Call a poison control center or physician for treatment advice. Take patient to hospital immediately. Medical monitoring for at least 7 days.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Symptoms of poisoning may only appear after several hours or several days.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, carbon dioxide, foam, dry powder

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

carbon monoxide, carbon dioxide, hydrogen chloride, nitrogen oxides, organochloric compounds
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage

or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Incinerate or take to a special waste disposal site in accordance with local authority regulations. Dispose of absorbed material in accordance with regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

Ensure thorough ventilation of stores and work areas. No special measures necessary if stored and handled correctly. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing and protective equipment before entering eating areas.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure controls and personal protection

Components with occupational exposure limits

No occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release.

BASF Safety data sheet

Date / Revised: 31.08.2017

Product: **PHANTOM® INSECTICIDE**

Version: 6.0

(30278687/SDS_CPA_AU/EN)

Date of print 01.09.2017

Hand protection:
Chemical resistant protective gloves

Eye protection:
Eye protection not required.

Body protection:
Standard work clothes and shoes.

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Wash contaminated clothing before reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Before eating, drinking, or smoking, wash face and hands with soap and water.

9. Physical and Chemical Properties

Form: suspension
Colour: white to light brown
Odour: sweetish, characteristic
Odour threshold: Not determined since toxic by inhalation.

pH value: approx. 6 - 8
(approx. 25 °C)
(measured with the undiluted substance)

Freezing point: approx. 0 °C
(1,013.3 hPa)
Information applies to the solvent.

Boiling point: approx. 100 °C
(1,013 mbar)
Information applies to the solvent.

Flash point: (ASTM D93)
No flash point - Measurement made up to the boiling point.

Evaporation rate: not applicable

Flammability (solid/gas): not flammable

Lower explosion limit:
As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

BASF Safety data sheet

Date / Revised: 31.08.2017

Product: **PHANTOM® INSECTICIDE**

Version: 6.0

(30278687/SDS_CPA_AU/EN)

Date of print 01.09.2017

Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Ignition temperature: Based on the water content the product does not ignite.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Vapour pressure: approx. 23.3 hPa
(20 °C)
Information applies to the solvent.

Density: approx. 1.13 g/cm³
(20 °C)

Relative vapour density (air):
not applicable

Solubility in water: dispersible
Partitioning coefficient n-octanol/water (log Pow):
not applicable

Viscosity, dynamic: approx. 757 mPa.s
(20 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:
See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Of high toxicity after short-term inhalation. Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): 560 - 567 mg/kg

LC50 rat (by inhalation): 0.571 mg/l 4 h (OECD Guideline 403)

An aerosol was tested.

LD50 rabbit (dermal): > 2,000 mg/kg

No mortality was observed.

Irritation

Assessment of irritating effects:

Skin contact causes slight irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit:

Serious eye damage/irritation rabbit:

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

modified Buehler test guinea pig: (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure):

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

Sweating and accompanying fever, digestive problems, emesis and diarrhea are common initial clinical signs of oral ingestion. Subsequent symptoms may include tremor and convulsions, tachycardia, muscle stiffness and weakness of limbs (sometimes leading to paralysis), hepatic and renal dysfunction, pancreatitis, drowsiness and sudden disturbance of consciousness, followed by coma.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 0.0239 mg/l, *Oncorhynchus mykiss* (Flow through.)

Aquatic invertebrates:

EC50 (48 h) 0.012 mg/l, *Daphnia magna* (static)

BASF Safety data sheet

Date / Revised: 31.08.2017

Product: **PHANTOM® INSECTICIDE**

Version: 6.0

(30278687/SDS_CPA_AU/EN)

Date of print 01.09.2017

Aquatic plants:

EC50 (72 h) 4.09 mg/l, *Selenastrum capricornutum* (OECD Guideline 201)**Mobility**

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Chlorfenapyr

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradabilityAssessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Chlorfenapyr

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Information on: Chlorfenapyr

Elimination information:

approx. 20 % CO₂ formation relative to the theoretical value (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) (aerobic)**Bioaccumulation potential**

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Chlorfenapyr

Bioaccumulation potential:

Bioconcentration factor: 116, *Cyprinus carpio*

Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

BASF Safety data sheet
Date / Revised: 31.08.2017
Product: **PHANTOM® INSECTICIDE**

Version: 6.0

(30278687/SDS_CPA_AU/EN)

Date of print 01.09.2017

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains CHLORFENAPYR)

Further information

Hazchem Code:3Z
IERG Number:47

Sea transport

IMDG

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Marine pollutant: YES
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains CHLORFENAPYR)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains CHLORFENAPYR)

Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

15. Regulatory Information

BASF Safety data sheet

Date / Revised: 31.08.2017

Product: **PHANTOM® INSECTICIDE**

Version: 6.0

(30278687/SDS_CPA_AU/EN)

Date of print 01.09.2017

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 6

APVMA Approval Number: 63575

Registration status:

AICS, AU released w/o restriction f. BASF / not listed

crop protection product

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.